## The Grant / Lee Medium Tank



The Grant was first received by the British in 1941 and the Lee in 1942. The Grant was built to British specifications and the Lee was the standard version of the Tank. At the time it gave the British an advantage against the German tanks as it's armour was superior and the hull 75mm gun could deal with

German tanks at range but unfortunately this advantage was not put to the most effective use. The Grant was not an idea tank, the hull armour was riveted and the tank had an very high profile which made the tank a much larger target and the main armament being in the hull also posed problems but the tanks were reliable and served well.

Around 2900 Grant and Lee tanks were received by the British in the Second World War until it was replaced with the Sherman at the end of 1942.

Name		Grant		Lee
Туре	Medium	Tank	Me	dium Tank
Crew	6		7	
(In turret)	5 (2,3)		5(2	2,3)
Length	18'-6.25		18'	-6.028"
Width	8'-7"		8'-7	7"
Height	9'-10.5"		10'	-2.44"
Weight	29		29	
Ground pressur	e19.125"		19.	125"
Ground clearan	¢e			
Track type				
No per track				
Weight of one T	rack			

Track width		
Engine		
B.H.P	13.5	13.5
Max road speed		
Average road sp200		20.9
Cross Country \$	peed	
Gear box type		
Gears		
Fuel consumption	n (road) – MPG	
Fuel consumption	n (cross country	<b>'</b> )
Petrol		
Auxiliary capaci	ty	
Radius of action	(1/40/4ad)	144
Radius of action	(cross country)	
Trench Crossing		
Vertical obstacle	-	
Fording height		
Gradient		
Main Armament	75mm	75mm
Ammunition		
Secondary Arm	<b>37ent</b> n/.3" Brow	Browning Browning
<b>Tertiary Armam</b>	ent	.3" Browning
Transverse type	Hand & Hydralic	Hand & Hydralic
Max elevation	50	42
Max depression	7	7
Turret Ring Size	54.5	54.5
Optics		

Armour		
Hull Nose	50.8	50.8
Hull Front (lowe	r)38.1	38.1
Hull Front	50.8	50.8
Hull Sides Uppe	12.7	12.7
Hull Sides Lowe	38.1	38.1
Hull Rear	38.1	38.1
Hull Roof (Front	)12.7	12.7
Engine Deck	12.7	12.7
<b>Hull Floor Front</b>	25.4	25.4
Hull Florr (Rear)	12.7	12.7
(37mm)	Cast	
Turret Front	76.2	50.4
Turret Roof	31.75	31.75
Turret Sides	50.8	50.8
Turret Rear	50.8	50.8
(75mm) Turret	50.8	50.8
Cupula		50.8

Sources - WO 194