

German Mortars

As with other nations Germany adopted a wide variety of mortars during the Second World War, at the beginning of the Second World War Germany had two main types of mortar in service, the 5-cm leichte Granatwerfer 36 and the 8-cm schwere Granatwerfer 34, there was also a 10cm mortar but this was not as common as the previous two models. As the war progressed the need for ever larger mortars was realised and this led to the development and production of 12cm and 21cm mortars.

5-cm Mortar (5-cm leichte Granatwerfer 36)

This 50mm mortar was the standard light infantry mortar used by the German Army for the first half of the Second World War. It was designed by Rheinmetall-Borsig and was first issued in 1936. The weapon was of complex design - a barrel and a monopod were fixed to the base plate. The 5cm leGrW 36 was heavy for its calibre being nearly 4kg heavier than the British 2" mortar, the bomb fired was also light weighing only 0.9kg again lighter than the bomb fired by the British 2" Mortar. The 5cm mortar was not highly regarded among the troops

due to its weight, complexity and ineffective bomb and so was gradually replaced by larger more effective weapons.

5cm Mortar characteristics

Calibre	5cm
Complete weight	40kg
Max Range	520m
Maximum traverse	14°
Elevation	43° to 90°
Weight of bomb	10.9kg
Filling	27.6gm TNT
Rate of fire	20 rpm

5cm Mortar production by year

1939 (Jan, Feb)	1,000
1940 (Jan, Feb)	1,000
1941 (Jan, Feb)	1,000
1942 (Jan, Feb)	1,000
1943 (Jan, Feb)	1,000
1944 (Jan, Feb)	1,000
1945 (Jan, Feb)	1,000
1946 (Jan, Feb)	1,000
1947 (Jan, Feb)	1,000
1948 (Jan, Feb)	1,000
1949 (Jan, Feb)	1,000
1950 (Jan, Feb)	1,000
1951 (Jan, Feb)	1,000
1952 (Jan, Feb)	1,000
1953 (Jan, Feb)	1,000
1954 (Jan, Feb)	1,000
1955 (Jan, Feb)	1,000
1956 (Jan, Feb)	1,000
1957 (Jan, Feb)	1,000
1958 (Jan, Feb)	1,000
1959 (Jan, Feb)	1,000
1960 (Jan, Feb)	1,000
1961 (Jan, Feb)	1,000
1962 (Jan, Feb)	1,000
1963 (Jan, Feb)	1,000
1964 (Jan, Feb)	1,000
1965 (Jan, Feb)	1,000
1966 (Jan, Feb)	1,000
1967 (Jan, Feb)	1,000
1968 (Jan, Feb)	1,000
1969 (Jan, Feb)	1,000
1970 (Jan, Feb)	1,000
1971 (Jan, Feb)	1,000
1972 (Jan, Feb)	1,000
1973 (Jan, Feb)	1,000
1974 (Jan, Feb)	1,000
1975 (Jan, Feb)	1,000
1976 (Jan, Feb)	1,000
1977 (Jan, Feb)	1,000
1978 (Jan, Feb)	1,000
1979 (Jan, Feb)	1,000
1980 (Jan, Feb)	1,000
1981 (Jan, Feb)	1,000
1982 (Jan, Feb)	1,000
1983 (Jan, Feb)	1,000
1984 (Jan, Feb)	1,000
1985 (Jan, Feb)	1,000
1986 (Jan, Feb)	1,000
1987 (Jan, Feb)	1,000
1988 (Jan, Feb)	1,000
1989 (Jan, Feb)	1,000
1990 (Jan, Feb)	1,000
1991 (Jan, Feb)	1,000
1992 (Jan, Feb)	1,000
1993 (Jan, Feb)	1,000
1994 (Jan, Feb)	1,000
1995 (Jan, Feb)	1,000
1996 (Jan, Feb)	1,000
1997 (Jan, Feb)	1,000
1998 (Jan, Feb)	1,000
1999 (Jan, Feb)	1,000
2000 (Jan, Feb)	1,000
2001 (Jan, Feb)	1,000
2002 (Jan, Feb)	1,000
2003 (Jan, Feb)	1,000
2004 (Jan, Feb)	1,000
2005 (Jan, Feb)	1,000
2006 (Jan, Feb)	1,000
2007 (Jan, Feb)	1,000
2008 (Jan, Feb)	1,000
2009 (Jan, Feb)	1,000
2010 (Jan, Feb)	1,000
2011 (Jan, Feb)	1,000
2012 (Jan, Feb)	1,000
2013 (Jan, Feb)	1,000
2014 (Jan, Feb)	1,000
2015 (Jan, Feb)	1,000
2016 (Jan, Feb)	1,000
2017 (Jan, Feb)	1,000
2018 (Jan, Feb)	1,000
2019 (Jan, Feb)	1,000
2020 (Jan, Feb)	1,000
2021 (Jan, Feb)	1,000
2022 (Jan, Feb)	1,000
2023 (Jan, Feb)	1,000
2024 (Jan, Feb)	1,000
2025 (Jan, Feb)	1,000
2026 (Jan, Feb)	1,000
2027 (Jan, Feb)	1,000
2028 (Jan, Feb)	1,000
2029 (Jan, Feb)	1,000
2030 (Jan, Feb)	1,000
2031 (Jan, Feb)	1,000
2032 (Jan, Feb)	1,000
2033 (Jan, Feb)	1,000
2034 (Jan, Feb)	1,000
2035 (Jan, Feb)	1,000
2036 (Jan, Feb)	1,000
2037 (Jan, Feb)	1,000
2038 (Jan, Feb)	1,000
2039 (Jan, Feb)	1,000
2040 (Jan, Feb)	1,000
2041 (Jan, Feb)	1,000
2042 (Jan, Feb)	1,000
2043 (Jan, Feb)	1,000
2044 (Jan, Feb)	1,000
2045 (Jan, Feb)	1,000
2046 (Jan, Feb)	1,000
2047 (Jan, Feb)	1,000
2048 (Jan, Feb)	1,000
2049 (Jan, Feb)	1,000
2050 (Jan, Feb)	1,000
2051 (Jan, Feb)	1,000
2052 (Jan, Feb)	1,000
2053 (Jan, Feb)	1,000
2054 (Jan, Feb)	1,000
2055 (Jan, Feb)	1,000
2056 (Jan, Feb)	1,000
2057 (Jan, Feb)	1,000
2058 (Jan, Feb)	1,000
2059 (Jan, Feb)	1,000
2060 (Jan, Feb)	1,000
2061 (Jan, Feb)	1,000
2062 (Jan, Feb)	1,000
2063 (Jan, Feb)	1,000
2064 (Jan, Feb)	1,000
2065 (Jan, Feb)	1,000
2066 (Jan, Feb)	1,000
2067 (Jan, Feb)	1,000
2068 (Jan, Feb)	1,000
2069 (Jan, Feb)	1,000
2070 (Jan, Feb)	1,000
2071 (Jan, Feb)	1,000
2072 (Jan, Feb)	1,000
2073 (Jan, Feb)	1,000
2074 (Jan, Feb)	1,000
2075 (Jan, Feb)	1,000
2076 (Jan, Feb)	1,000
2077 (Jan, Feb)	1,000
2078 (Jan, Feb)	1,000
2079 (Jan, Feb)	1,000
2080 (Jan, Feb)	1,000
2081 (Jan, Feb)	1,000
2082 (Jan, Feb)	1,000
2083 (Jan, Feb)	1,000
2084 (Jan, Feb)	1,000
2085 (Jan, Feb)	1,000
2086 (Jan, Feb)	1,000
2087 (Jan, Feb)	1,000
2088 (Jan, Feb)	1,000
2089 (Jan, Feb)	1,000
2090 (Jan, Feb)	1,000
2091 (Jan, Feb)	1,000
2092 (Jan, Feb)	1,000
2093 (Jan, Feb)	1,000
2094 (Jan, Feb)	1,000
2095 (Jan, Feb)	1,000
2096 (Jan, Feb)	1,000
2097 (Jan, Feb)	1,000
2098 (Jan, Feb)	1,000
2099 (Jan, Feb)	1,000
2100 (Jan, Feb)	1,000

8cm Mortar (8-cm schwere Granatwerfer 34)

The 8-cm sGrW 34 was the standard heavy infantry mortar used throughout the Second World War. It was again designed by Rheinmetall-Borsig and was introduced into service in 1934, it was a modification of the Brandt 81.4mm mortar. It was a straight forward design and well built. It could be broken into three pieces so it could be carried more easily and was capable of firing high explosive smoke and illuminating ammunition. The 8cm sGrW 34 was well respected by the allies due to its accuracy and rate of fire. A lighter version was created for airborne and this was designed in 1940, both weapons fired the same ammunition but the airborne version had reduced range.

8cm Mortar characteristics

8-cm sGrW 34	8-cm sGrW 34
Calibre	8cm
Weight	56kg
Max Range	2400m
Maximum traverse	14°
Elevation	47° - 88°

Weight of 135 kg
500g TNT
Rate of 12 rpm

8cm Mortar production by year (Ammunition in millions)

1939 (Jan, Feb)
cm 4, 5, 6, 7, 8
Amm 8, 10, 12

10cm Mortar (10-cm Nebelwerfer 35)

This 105mm mortar was in service with the German army at the beginning of the Second World War and remained in production until 1943. It was an enlarged version of the 8cm mortar. It was initially intended for chemical warfare, being capable of firing smoke and chemical shells but it was also capable of firing a high explosive round.

10cm Mortar characteristics

Calibre	105mm
Complete weight	105kg
Max Range	3000m
Maximum traverse	13°
Elevation	45° to 80°
Weight of HE bomb	7.2kg
Filling	7kg TNT

Sources - Various Handbooks, AVIA 22 456-514